

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12695	random\$7 near4 bit\$2	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L2	7012	(generat\$5 compos\$4 produc\$4 creat \$4) near5 (bit \$2) near5 (sequenc\$4)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L3	144687	(read\$4 execut \$4 determin\$7 perform\$7) near7 bit\$2	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L4	37385	(select\$4 determin\$7 match\$4 compar \$5) near4 (offset \$3 off-set\$1\$3 (off adj2 set \$1))	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L5	577	L2 and L4	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L6	8186	L1 and L3	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L7	56788	(determin\$7 direction\$1 decid \$4 match\$4 compar\$5) near4 (offset\$3 off-set\$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L8	17515	(sequence\$2 bit \$2) near8 (offset \$3 off-set\$1\$3 (off adj2 set \$1))	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L9	920	L2 and L8	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L10	327	L9 and L7	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L11	138	L6 and L5	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05

L12	52	(select\$4 determin\$7 deriv \$4) near7 (offset\$3 off-set \$1\$3 (off adj2 set\$1)) near4 cursor\$1	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L13	56916	(match\$4 compar\$5) near7 bit\$2	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L14	57	(select\$4 determin\$7 match\$4 compar \$5) near7 (offset \$3 off-set\$1\$3 (off adj2 set \$1)) near4 cursor\$1	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L15	2	L14 and L13	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L16	0	L15 and (encod \$3)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L17	2349	encod\$3 near8 (offset\$3 off-set \$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L18	902	L17 and L4	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L19	57	L18 and seed\$1	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L20	50	L19 and (fingerprint\$3 (finger near2 print\$3) biometric\$4 retinal\$1 fac\$5)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L21	34	L20 and L2	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L22	28	L21 and L1	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L23	28	L22 and L4	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L24	49	L11 and (seed \$1)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L25	28	L23 and (encod \$3)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05

L26	9544	((713/100) or (713/165) or (713/167) or (713/170) or (713/187) or (713/189) or (713/193) or (711/155) or (711/163) or (711/205) or (711/206) or (713/207) or (726/2) or (726/5) or (726/27) or (380/262) or (380/267) or (380/268) or (380/37) or (380/28) or (380/29) or (380/30)).CCLS.	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L27	1060	L13 and L26	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L28	81	L27 and L2	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L29	2368	(encrypt\$4 encipher\$8 cipher\$ encod \$3) near7 (offset \$3 off-set\$1\$3 (off adj2 set \$1))	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L30	2	L28 and L29	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L31	46	L24 and (encod \$3)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L32	1527	encod\$3 near4 (offset\$3 off-set \$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L33	1	L31 AND L32	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05

L34	689	(modif\$9 chang \$3 alter\$3 different\$2) near5 (offset\$1 off-set\$1) near3 (bit\$2 sequenc \$4)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L35	25	L10 and L34	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L36	15	L35 and (encod \$3)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L37	13	L36 and (fingerprint\$3 (finger near2 print\$3) biometric\$4 retinal\$1 fac\$5)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L38	13	L37 and (storage \$1 database\$1 table\$1 list\$3 director\$4)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L39	9	L38 and (hash \$3 ip address\$3 mac guid)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L40	8	L39 and insert \$4	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L41	190	insert\$4 near8 (determin\$4 known prestor \$4 pre-stor\$4 preknown pre- known correspond\$4 pre-determin\$5 store\$1 preset \$3 pre-set\$4) near5 (offset\$3 off-set\$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L42	76035	(generat\$4 compos\$4 develop\$4 mak \$4 within in encod\$4 string \$1) near5 row \$1	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05

L43	19	(generat\$4 compos\$4 develop\$4 mak \$4 within in) near5 row\$1 near8 (encod \$4) near9 (sequence\$1 string\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L44	0	L41 and L43	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L45	945	(generat\$4 compos\$4 develop\$4 mak \$4 within in) near5 row\$1 near8 (encod\$4 string\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L46	4	L41 and L42	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L47	434	(generat\$4 compos\$4 develop\$4 mak \$4) near5 row \$1 near8 (encod \$4 string\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L48	7374	insert\$4 near8 (offset\$3 off-set \$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L49	2	row\$1 with insert\$4 with (offset\$3 off-set \$1\$3 (off adj2 set\$1)) with (encod\$4 string \$1)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L50	6	L43 and insert \$4	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05

L51	3	(generat\$4 compos\$4 develop\$4 mak \$4 within in) SAME insert\$4 SAME row\$1 SAME (encod\$4 encrypt\$4) SAME (sequence \$1 string\$1) SAME (offset\$3 off-set\$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L52	1	L51 and cursor \$1	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L53	2	L46 and encod \$4	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L54	1	L53 and cursor \$1	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L55	73	cursor\$1 with (match compar \$9) with (bit\$1 byte\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L56	34	L55 and generat \$4 and encod\$4	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L57	24	L56 and insert \$4	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L58	13	L57 and (insert \$4 with (offset \$3 off-set\$1\$3 (off adj2 set \$1)))	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L59	2	L58 and row\$1	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L60	1	cursor\$1 with (match compar \$9) with (bit\$1 byte\$1) with (offset\$3 off-set \$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L61	0	row\$1 with insert\$4 with (offset\$3 off-set \$1\$3 (off adj2 set\$1)) with (encod\$4)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05

L62	14	row\$1 same insert\$4 same (offset\$3 off-set \$1\$3 (off adj2 set\$1)) same (encod\$4)	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L63	2	L62 same generat\$4	USPAT; IBM_TDB	OR	OFF	2008/05/05 15:05
L64	71	palmer near3 thomas	USPAT; IBM_TDB	OR	ON	2008/05/05 15:12
L65	0	freel near3 edward\$1	USPAT; IBM_TDB	OR	ON	2008/05/05 15:12
L66	12	widevine near3 technolog\$3	USPAT; IBM_TDB	OR	ON	2008/05/05 15:13
L67	1	64 and cursor\$1	USPAT; IBM_TDB	OR	ON	2008/05/05 15:14
L68	6	64 and offset\$1	USPAT; IBM_TDB	OR	ON	2008/05/05 15:15
L69	6	64 and offset\$3	USPAT; IBM_TDB	OR	ON	2008/05/05 15:15
L70	0	(bit\$1 and string \$1 and generat \$3 and cursor\$1 and position\$1 and offset\$3 and insert\$3 and encod\$3). clm.	US-PGPUB	OR	ON	2008/05/05 15:18
L71	2	(bit\$1 and string \$1 and generat \$3 and cursor\$1 and position\$1 and offset\$3). clm.	US-PGPUB	OR	ON	2008/05/05 15:18

5/ 5/ 08 3:19:08 PM

C:\Documents and Settings\LHa\My Documents\EAST\Workspaces\10691355.wsp